

INDEX TO TECHNICAL PAPERS IN CICIND REPORTS

The Titles, Authors and Publication Dates
of the approximate **300 Technical Papers** published in earlier **CICIND Reports**,
can be viewed and downloaded here.

Individual papers can be ordered by mailing the details of the article to the secretary.
Price: 20,00 EURO for Europe and 30,00 US-Dollar outside Europe incl. postage.

A CD containing all past CICIND Reports is also available.
Please contact the Secretary (secretary@cicind.org) for more Information.

CHIMNEY DESIGN

Case Histories

Design and Construction of Mellach Plant Chimney, Incorporating a desulphurisation Plant

Brunold, H. & Feischl, M., Vol. 5, No. 1, 1989

Design and construction of a cluster of 7 steel chimneys

Bouten, J., Vol. 11, No. 1, 1995

Innovative design aspects of the 200m concrete chimney, Pocerady, Czech Republic

Noakowski, P., Breddermann, et al, J., Vol. 12, No. 1, 1996

Chimney design practice in Greece

Angelides, M., Vol. 13, No. 1, 1997

Design of reinforced concrete chimney of Shih-Lin incinerator plant

Fu, T.S., Chen, Y.C., Mu, L.C., Vol. 13, No. 2, 1997

Wind turbines on tall reinforced concrete chimney stacks

Bendix, H., Vol. 16, No. 1, 2000

The Kyoto Protocol and conditions of chimney service in Russia

Elshin, A., Astashkin, V., Luzhkov, V., Vol 21, No 2, 2005

The Formation of CICIND - A Retrospection

Bottenbruch, H., Vol. 24, No. 2, 2008

Economics

Chimney business: Atmosphere of crisis or opportunity

Henseler, F., Vol. 10, No. 1, 1994

A long term prognosis on the development of industry and energy consumption in Germany

Priebe, W., Vol. 10, No. 1, 1994

Stack Problems and Consequential Costs

Standish I., Vol. 11, No. 2, 1995

Cost Optimisation Methods in Chimney Design

Angelides, M., Vol. 11, No. 2, 1995

General

Design Aspects of Chimneys in Austrian Power Plants

Nussbaumer, L. & Prah, L., Vol. 5, No. 1, 1989

Safety in the CICIND concrete and steel chimney codes

Van Koten, H., Vol. 9, No. 2, 1993

Some unusual or unique chimneys

Smith, D.T., Vol. 11, No. 1, 1995

Progress in FGD Chimneys

Henseler, F., Vol. 12, No. 1, 1996

No noise is good noise - developments in noise assessment and control

Tompsett, K.R., Vol. 15, No. 1, 1999

Calculation of the damping of chimneys

van Koten, H., Vol. 17, No. 1, 2001

Improving the inflow into a chimney

Ruscheweyh, H., Vol. 19, No. 1, 2003

Chimneys for PeatFired Power Plants - using the examples of Lough Ree Power and West Offaly, Ireland

Hoffmeister, H, Draese, R., Vol. 21, No 1, 2005

Stability of Codes

Oudin, G., Vol. 21, No 1, 2005

Analysis of the Efficiency of Advertisement on Chimneys

Elshin, A., Vol 22, No 1, 2006

Solar Tower for a Thermosolar Power Plant

Villa, I., Vol. 22, No. 2, 2006

Rumanian Industrial Chimneys designed and built in 1965-1985

Naum, L., Vol. 22, No. 2, 2006

Automatic Inspection Systems for Industrial Chimneys

De Espada, C., Vol . 23, No. 1, 2007

Access Solutions for Chimneys and Tall Structures

Kelly, A., McCurdy, C., Smith, D., Vol. 23, No. 1, 2007

Noise attenuation for Chimney Engineers

Reid, S., Vol. 23, No. 1, 2007

Dimensioning of Multi-Ring Cross-Sections of RC Chimneys

Lechman, M., Vol. 23, No. 2, 2007

Calculation of Reinforcement in Chimneys when Beam Theory is not valid

Angelides, M. , Zannaki, L., Vol. 24, No. 2, 2008

Diagnostics of Masonry Chimneys used as Antenna Carriers

Lechman, M., Vol. 25, No. 2, 2009

CHIMNEY OPERATION

FGD

Desulphurisation Systems and their Effect on Operational Conditions of Chimneys

Henseler, F. (Germany), Vol. 3, No. 2, 1987

Two phase flow in chimneys - the origin and transport of moisture and particles in the chimney flue

J. Sipek & P. Snop, Vol. 12 No. 2, 1996

Desulphurisation of waste gases and their discharge - Review of the situation in Poland

Ciesielski, R., Vol. 18, No. 1, 2002

Rectangular Breechings vs. Round Elbows for Wet Stack

Bohicchio, V., Vol. 25, No. 1, 2009

General

A new automatic device for cleaning the inside of chimneys

Asteinza, J.E. and Florex, C.G., Vol. 15, No. 1, 1999

Noise Control in Chimneys

Reid, S., Vol. 25, No. 2, 2009

Pressure conditions

Suction waves (Letter to editor)

Bierrum, N.R., Vol. 9, No. 1, 1993

CICIND AND OTHER ORGANISATIONS

A "home page" for CICIND

Bottenbruch, H., Vol. 14, No. 1, 1998

A User's Guide to CICIND's "Home Page"

Parker, A., Vol. 14, No. 1., 1998

Overview of the history and work of IVS

Berger, G., Vol. 14, No. 1, 1998

Dismantling of a lattice type Cooling Tower,

Rost, M., Breddermann, M., Noakowski, P., Vol. 23, No.2, 2007

The European Standards for free-standing Chimneys and the CE-marking

Berger, G., Vol. 24, No 2, 2008

Stacks for Russia - Requirements and Limitations

Madsen, B., Vol. 24, No 2, 2008

Chimneys, Society and Developments in the Power Plant Industry

Henseler, F., Vol. 25, No 1, 2009

COATINGS

Chimney liners

Protection of steel and concrete surfaces in the FGD environment

Collier, S., Vol. 10, No. 1, 1994

Quality control systems for the installation of a Hastelloy chimney lining, using the "Wall-papering" technique

Stella, F., Vol. 10, No. 2, 1994

Protection of chimneys against acid attack and environment conditions

Ertz, B., Vol. 15., No. 2, 1999

Early Defects in Surface Protection Systems due to Sulphate contamination and poor Surface Preparation

Kochan, A., Vol. 20., No. 1, 2004

Concrete shell

Protecting the outer surfaces of chimneys downstream of flue gas clean-up equipment

Erdmann, W., Vol. 9, No. 1, 1993

Protection and maintenance of chimneys

Muller, B.R., Vol. 6, No. 2, 1990

How maintenance requirements of RC-chimneys can be reduced by the use of different coating systems

Kochan, A., Vol. 19, No. 1, 2002

The new German Guidelines for the Maintenance of Concrete Chimneys

Kochan, A., Lenz, J., Vol 21, No 2, 2005

Some experiences with surface protection of reinforced concrete chimneys

Kochan, A., Lenz, J., Vol 22, No 2, 2006

Performance

Behaviour and maintenance of coatings in chimneys of EDF fossil-fired power plants

Thoraval, G.& Clatot, B., Vol. 10, No. 2, 1994

CONCRETE SHELL

Construction

Concrete Materials for Chimneys in Marine Tropical Environments

Thornely, H.A., Vol. 4, No. 2, 1988

Construction of chimneys and towers using slipform and jumpform systems

Kremser, B., Vol. 9, No. 2, 1993

Finishing a reinforced concrete chimney 7 years after interruption of its construction

Ciesielski,R., Vol. 11, No. 1, 1995

Demolishing chimneys

Ganopolskiy, M.I., Vol. 9, No. 1, 1993

Reinforced concrete chimneys - the dismantling of unused chimneys and their use for wind turbines

Bendix, H., vol. 18, No. 1, 2002

The effects of poor workmanship and damage on the normal stresses in RC chimneys

Lechman, M., Vol. 19, No. 1, 2003

Concrete Chimneys—Design and Construction for a Economical Solution

Smith, T. Vol. 21, No 1, 2005

The World of Chimneys or Chimneys of the World

Voit, S., Vol. 23, No. 2, 2007

EKIBASTUZ, The World's highest Chimney after 9 years of operation

Luzhkov, V., Vol. 23, No. 2, 2007

The Design of the 183m New Chimney, Rugeley, UK Interference Effects

Goddard, C., Vol. 24, No 2, 2008

Erection of a concrete flue gas scrubber with upside fluegas stack, top level +105 m

Kremser, B., Vol. 24, No 2, 2008

Construction of an Air Traffic Control Tower in the Isle of Man

Eastman, G., Vol. 25, No 2, 2009

Design

Comparison of Reinforced Concrete Chimneys, Designed According to Various Codes

Noakowski, P., Vol. 1, No. 1, 1985

ACI 307 Latest Proposals for the Design and Construction of Reinforced Concrete Chimneys

Rumman,W.S., Vol. 2, No. 1, 1986

Creep and Shrinkage Effects on the Stress State of Chimneys Built with Sliding Formwork

Migliacci, A., Mola, F. & Riva, P., Vol. 2, No. 2, 1986

Circular Reinforcement of Chimneys under Load of Temperature and Wind

Noakowski,P., Vol. 4, No. 1, 1988

Cracking Control in Concrete Chimneys

- Noakowski, P. & Van Dornick, K., Vol. 6, No. 2, 1990
Minimum Horizontal Reinforcement in Chimneys
- Bierrum, N.R., Vol. 7, No. 2, 1991
The behaviour of reinforced concrete under the action of repeated heating and wetting
- Krichevsky, A.P. et al, Vol. 9, No. 1, 1993
Safety in the CICIND concrete chimney code
- Bottenbruch, H., Vol. 9, No. 2, 1993
Lining support slabs in multi-flue chimneys
- Busch, D. & Noakowski, P., Vol. 11, No. 1, 1995
Minimum horizontal reinforcement in chimneys (letter to editor)
- Bierrum, N.R., Vol. 7, No. 2, 1991
Report on Investigation Concerning Fatigue Behaviour of Reinforced Concrete
- Noakowski, P., Vol. 1, No. 1, 1985
Comparison of Concrete Chimneys Designed to ACI 307-88 and to CICIND Model Code
- Bierrum, N.R., Vol. 11, No. 2, 1995
Comparison of concrete chimney designs per ACI 307-95 and CEN
- Bierrum, N.R. & van Koten, H., Vol. 12, No. 2, 1996
A New Calculation Method for Cordemais Chimney
- Berthet, Y., Vol. 11, No. 2, 1995
Temperature effects in reinforced concrete chimneys and the prospects of steel fibre shotcrete for reinforcement of concrete chimneys
- Krichevsky, A.P., Brizhaty, O.E., Korsun, V.I. & Krichevsky, S.A., Vol. 12, No. 1, 1996
Calculation of chimney vibrations by transfer matrix method
- Jalil, W., Vol. 12, No. 1, 1996
ACI 307-95 - Major revisions from ACI 307-88 and latest direction
- Bochicchio, V., Vol. 12 No. 2, 1996
Hot Air Jacket For 150M Multi - Flue Steel Lined Chimney Monfalcone Italy
- Davenport, J.F., Vol. 12 No. 2, 1996
On the failure mechanisms of reinforced concrete chimneys
- Schueler, G.I. & Bucher, C.G., Vol. 13, No. 2, 1997
Failure probability and load factors
- Bierrum, N.R., Vol. 14, No. 1, 1998
The revised CICIND Model Code for Concrete Chimneys – Part A, The Shell
- Bierrum, N.R., Vol. 14, No. 2, 1998
Comparison of Crack Limitations in CICIND and EC2
- Noakowski, R., et al., Vol. 14, No. 2, 1998
Analysis of concrete chimneys for mining shocks
- Cieselski, R., Vol. 14, No. 2, 1998
Control of Crack Width – Comparison of predictions in CICIND and EC2
- Bierrum, N.R., Noakowski, P., Schäfer, H.G., Woitzik, M., Vol. 15, No. 2, 1999
Circular reinforced concrete shaft cracking caused by moisture differential
- Moncarz, P.D., Coetzee, R.B., Noakowski, P., Vol. 15, No. 2, 1999
Stabilisation of cracked chimney flues at Matimba Power Station, RSA
- Coetzee, R., Moncarz, P., Noakowski, P., Stegman, M., Vol. 15, No. 2, 1999
Control of crack width in CICIND and EC2
- Bierrum, N.R., Vol. 16, No. 1, 2000
Experimental evaluation of temperature distribution in chimneys under sun exposure
- Lechman, L., Vol. 16, No. 1, 2000
A review of codal safety provisions for reinforced concrete chimneys subject to wind loading
- Menon, D., Vol. 16, No. 1, 2000
ACI 307-98 and CICIND 2001. Comparison of in-line wind loads and reinforcement
- Bierrum, N.R., Vol. 17, No. 2, 2001
Rheological distribution of stresses in the shafts of reinforced concrete chimneys
- Ciesielski R., Oruba, R., Vol. 18, No. 1, 2002
Experimental study to investigate the cyclic behaviour of reinforced concrete chimney sections with openings
- Wilson, J.L. & Kilic, S.A., Vol. 19, No. 2, 2003
Concrete Chimneys - Design and Construction for a Economical Solution
- Smith, T., Vol. 21, No 1, 2005
Cross Wind Tests on a Concrete Chimney with high Reynolds Numbers
- Van Koten, H., Vol. 23, No.1, 2007
Resistance of Non-Circular Cross-Sections of RC Chimneys
- Lechman, M., Vol. 23, No.1, 2007
Beam Theory versus Shell Theory with respect to the Design of Reinforcement in Chimneys
- Angelides, M., Vol. 23, No. 2, 2007
On-line testing
- The LADIR System for remote vibration measurements*
- Rota, A., Vol. 3, No. 1, 1987
Dynamic Structural Testing of Torre Valdaliga Nord Power Plant's 250m High Chimney
- Da Rin, E.M., Vol. 3, No. 1, 1987
The Dynamic Monitoring of Industrial Chimneys
- Sageau, J.F., Vol. 3, No. 1, 1987
Vibration Monitoring of Tall Concrete Chimneys
- Da Rin, E.M. & Stefani, S., Vol. 4, No. 2, 1988

Monitoring of power station chimneys

Sageau, J.F., Vol. 10, No. 2, 1994

Creep of Concrete Platforms. Special Design Measures Due to Creep Effects on Concrete Platforms in Multi-Flue Chimneys

Ertz, B., Hoffmeister, H., Vol. 20, No. 1, 2004

EARTHQUAKE DESIGN

Design of concrete chimneys in areas of high seismicity

Allsop, A., Booth, E. & Blanchard, J., Vol. 9, No. 2, 1993

Development of the Turkish earthquake resistant design codes, with reference to industrial chimneys

Aydinoglu, M.N., Vol. 10, No. 2, 1994

Earthquakes in Turkey - a case study of the Erzincan earthquake

Ansal, A.M., Vol. 11, No. 1, 1995

Ductility of reinforced concrete chimneys subject to earthquake excitation

Wilson, J., Vol. 13, No. 2, 1997

Aseismic design in Romania and evaluating existing chimneys seismic areas

Rosetnic, V., Vol. 13, No. 2, 1997

The earthquake response of reinforced concrete chimneys

Wilson, J., Vol. 14, No. 2, 1998

Earthquake design and analysis of tall reinforced concrete chimneys

Wilson, J.L., Vol. 15, No. 2, 1999

Code recommendations for the aseismic design of tall reinforced concrete chimneys

Wilson, J., Vol. 16, No. 2, 2000

Experiences of the Marmara and Bolu earthquakes in Turkey, 1999

Tunca, T., Vol. 16, No. 2, 2000

Earthquake damage to chimneys at the Taichung Power Station, Taiwan, 1999

Hing-en, L., Ming-Chih, C., Vol. 16, No. 2, 2000

Damage observations from the Izmit (Kocaeli), Turkey earthquake August 17, 1999

Moncarz, P., Shusto, L., Vol. 17, No. 1, 2001

A preliminary analysis of the Tupras Refinery stack collapse during the Kocaeli earthquake of 17 August 1999

Kilic, S., Moncarz, P., Noakowski, P., Vol. 17, No. 1, 2001

Seismic behaviour of reinforced concrete chimneys

Riva, P., Vol. 17, No. 1, 2001

Seismic load reduction factors for reinforced concrete chimneys: probabilistic assessment

Wilson, J.L., Vol. 17, No. 2, 2001

Seismic performance of the Pennguard chimney lining system

Wilson, J.L. & De Kreij, A., Vol. 18, No. 2, 2002

Non-linear response of the 115m Tupras refinery stack subjected to the 1999 Kocaeli earthquake

Akinci, N.O. & Kilic, S.A., Vol. 18, No. 2, 2002

An approach to the capacity design of reinforced concrete chimneys

Rosetnic, V., Vol. 19, No. 2, 2003

Investigation of the cyclic behaviour of reinforced Concrete Chimney Sections with Openings orientated to be shear critical

Wilson, J., Vol. 22, No. 1, 2006

Reinforced Concrete Chimney Sections with and without Openings

Wilson, J., Vol. 25, No. 2, 2009

EUROCODES

Overview

The Internal European Market in 1992

Breitschaft, G., Vol. 6, No. 1, 1990

The Eurocodes

Seyfert, H.J., Vol. 6, No. 1, 1990

Technical

An assessment of EC8 rules for the seismic design of reinforced concrete chimneys

Rosetnic, V., Vol. 15, No. 1, 1999

Technical Content of the Eurocodes

Nieser, H., Vol. 6, No. 1, 1990

Structural design rules for steel chimneys - the preparation Eurocode 3, Part 3.2

B.W. Smith et al, Vol. 13, No. 1, 1997

An assessment of EC8 rules for the seismic design of reinforced concrete chimneys

Rosetnic, V., Vol. 15, No. 1, 1999

FOUNDATIONS

Design

Chimney Foundations

Thompson, R., Vol. 2, No. 2, 1986

Chimney Foundations

Van Koten, H., Vol. 5, No. 1, 1989

Piled Foundation of the 250m Tall Multiflue Chimney at Torre Valdaliga Nord Power Plant

Ulisse, F., Caruana, R. & Stefani, F., Vol. 5, No. 1, 1989

Thermally induced deflections of a chimney foundation

Aschieri, F. & Ulliana, F., Vol. 1, No. 1, 1985

Optimum dimension and reinforcement of concrete foundation blocks for steel chimneys

H. van Koten, Vol. 12, No. 2, 1996

Mining subsidence and mining shock influence on chimneys in Upper Silesia

Ciesielski, R., Vol 19, No. 1, 2003

LININGS

Brickwork liners

Brick lining versus Pennguard lining - can Pennguard win?

Noakowski, P. and de Kreij, A., Vol. 15, No. 1, 1999

Investigations of the Comparability of Different Standards for the Determination of the Acid Resistance of Bricks

Bottenbruch, H. Posch, H., Vol. 2, No. 2, 1986

Thermal stress states in acid-resisting brickwork linings for industrial chimneys

Da Rin, E.M. & Uliana, A.F., Vol. 8, No. 1, 1992

Design and construction of elliptical brickwork linings

Van Dornick, K & Noakowski, P., Vol. 8, No. 1, 1992

Behaviour of the liner support system in a multi-flue chimney

Noakowski, P. & Van Dornick, K., Vol. 8, No. 2, 1992

Consequence of a sudden interruption of gas flow

Haag, G. & Noakowski, P., Vol. 9, No. 2, 1993

Brick lining reinforcement with protective coating

Busch, D. & Noakowski, P., Vol. 10, No. 2, 1994

Thermal stresses in brickwork liners downstream of FGD

Lechman, M., Vol. 13, No. 1, 1997

The plasticity behaviour of potassium silicate mortars

Sipek, J. & Kolisko, J., Vol. 16, No. 1, 2000

Maintenance of brickwork linings and environmental impact

González Flórez, c. & Del Solar, J., Vol. 19, No. 2, 2003

Nonlinear thermal behavior of a bricklining during heating-up

Coetzee, R., Willemsse, P., Vol. 22, No. 2, 2006

Abnormal behaviour of Chimney Brickliners due to underestimated Gas Flow Conditions

Poli, M., Di Poi, G., Vol. 22, No. 2, 2006

Steel liners

Hot Air Jacket For 150m Multi-Flue Steel Liners in a 150m Tall Chimney

Davenport, J.F. & Smith, D.T., Vol. 7, No. 2, 1991

The effect of spiral gas flow on steel chimney liners

Bierrum, N.R., Vol. 12, No. 1, 1996

Steel flues on a R.C. chimney, 300m high. Excessive vibrations and arrangements for strengthening

Ciesielski, R., Vol. 15, No. 2, 1999

Clad steel plates for chimney liner applications in Japan

Akabane, H., Yamamura, Y., Saito, Y., Vol. 15, No. 2, 1999

Practical aspects of fabricating nickel-chromium alloys. Lining and overlaying.

Heath, D., Vol. 16, No. 2, 2000

Clad plate for air pollution control equipment

Akabane, H., Yamamura, Y., Saito, Y., Vol. 16, No. 2, 2000

Replacement of a Steel Liner—Diameter 2.3 m — in a 160 m high Chimney

Kremser, B., Vol. 20, No.1, 2004

Concrete Liners

Concrete Chimneys with Cast-In-Situ Linings of Polymer Cement Concrete

Lebedev, V.G., Vol. 7, No. 2, 1991

Unexpected Behaviour of some R.C. Chimneys in Polish Heat-Generating Plants

Lechman, M. & Lewinski, P., Vol. 11, No. 2, 1995

GRP liners

Design of a "Sandwich" GRP Chimney Liner Incorporating Thermal Insulation

Oudin, G., Vol. 11, No. 2, 1995

The use of GRP to repair chimney liners in an FGD environment

Schmidt, R., Vol. 14, No. 1, 1998

The use of FRP in flue gas desulphurisation processes

Kamody, J., Vol. 13, No. 1, 1997

Large diameter GRP liners in the United States

Ershig, A.H., Vol. 13, No. 1, 1997

Design of FRP equipment for FGD systems

Ness, J., Vol. 13, No. 1, 1997

Structural behaviour of a 160m chimney with GRP liner, 2.5m diameter

Di Poi, G., Vol. 13, No. 1, 1997

Phenolic resins in stack and flue service

Heppenstall & Orpin, Vol. 13, No. 1, 1997

Design of sandwich GFRP chimneys

Maslov, Vol. 13, No. 1, 1997

GRP Liners - review by the CICIND Committee Chairman

Reid, S., Vol. 17, No. 1, 2001

FRP-liner with heating system as measure to prevent the formation of particles and droplets

Ertz, B., Vol. 19, No. 1, 2003

Retrofit of GRP Flues at Eggborough Power Station

Eastman, G., Vol. 20, No.1, 2004

Study of GRP Tubular Structures Subject to Bending

Lechman, M., Vol. 21, No 1, 2005

Chimney for Wet Stack Operation

Hoffmeister, H., Vol. 23, No. 2, 2007

A brief history of FRP liners in the US market from 1969 to 2009

Brady, R., Vol. 25, No. 2, 2009

Effects of FGD

Innovative Solutions to Chimney Lining Problems

Snook, R.W., Vol. 3, No. 2, 1987

Corrosion Protection of Steel Liners in Chimneys Serving Plants with FGD on Stream

Beaumont, M, Uliana, A.F. & Poli, M., Vol. 6, No. 2, 1990

Protection of an FGD Plant: Surface Treatment of Steel after Several Years of Operation

Van Der Sloot, R.J.S., Vol. 6, No. 2, 1990

Experience of various lining materials in an FGD pilot plant

Uliana, F., Scolari, P.V. & Poli, M., Vol. 12, No. 1, 1996

Application of high nickel alloy liners in chimneys in FGD service Plant, W., Vol. 12, No. 1, 1996

Installation and operation of titanium linings in FGD ductwork and stacks

Peacock, D., Vol. 12, No. 1, 1996

Application of protective linings to flues and ductwork in FGD environment

Collier, S., Vol. 12, No. 1, 1996

Repairing chimney liners using borosilicate glass blocks

den Boogert, E., de Kreij, A. & Huxley, N., Vol. 12, No. 1, 1996

Behaviour of various lining materials and metals in an FDG Pilot Plant

Uliana, A., Scolari, P., Poli, M., Vol. 12., No. 1, 1998

FGD - Past experience has shown that failures can be prevented

Henseler, F., Vol. 13, No. 2, 1997

Chimneys for wet scrubber power plant applications

Sowizal, J.C., Vol. 13, No. 2, 1997

Nickel containing materials in flue gas desulfurization equipment

Plant, W.H.D., Mathay, W.L., Vol. 15, No. 2, 1999

Wet Stack application. Chimney Operation without Flue Gas reheating after FGD

Breddermann, M., Noakowski, P., Lenz, J., Vol. 20, No.1, 2004

Moneypoint Chimneys

Hayes, T., Quigley, F., Vol. 21, No 1, 2005

Aberthaw power station repairs existing brick chimney flues for FGD operation by installing Pennguard®

De Kreij, A., Eastman, G. Vol. 21, No 2, 2005

Design of a Chimney with GRP Liner for Low and High Temperature Operation

Bochicchio, V., Vol 22, No 1, 2006

EDF Energy Cottam modifies 200 m high, multi-flue chimney for Wet Stack Operation

Eastman, G., De Kreij, A., Vol. 22, No. 2, 2006

Performance of the Pennguard® Block Lining System during large power plant fires

De Kreij, A., Vol. 23. No. 1, 2007

Pennguard linings in free standing brick flues - Three projects in the USA

De Kreij, A., Vol. 23. No. 2, 2007

Wet FGD Chimneys - Current Trends

Sowizal, J., Vol. 25. No. 2, 2009

On-Line Monitoring

Hot Camera Inspections

Miller, J.D., Vol. 3, No. 1, 1987

Introduction to Thermography

Van Chastelet, L., Vol. 3, No. 1, 1987

Monitoring of Chimney Performance

Aschieri, F., Vol. 7, No. 2, 1991

Scanliner Diagnoses

Sushchev, S., Vol 21, No 2, 2005

Performance

Overview of US experience with linings and coatings for concrete chimneys

Sowizal, J.C., Vol. 8, No. 1, 1992

Behaviour of linings in chimneys of Electricité de France

Thoraval, G, Vol. 8, No. 1, 1992

Flue gas liners under extreme operating conditions

Kremser, B. Vol. 18, No. 1, 2002

Seals

Sealing joints for chimney liners

Poli, M., Vol. 9, No. 2, 1993

Elastomeric seals fitted downstream of FGD at Drax power station

Brown, T.R. & Evans, W., Vol. 10, No. 1, 1994

The RAL quality control system for expansion joints and seals in industrial chimneys

Tuckmantel, H.J., Vol. 11, No. 1, 1995

History of the development of fluorelastomer compounds for use in flue expansion joints

Bauerle, J.G., Vol. 12, No. 2, 1996

Fundamental procedures and techniques for planning, repair, retrofit and maintenance of non-metallic expansion joints and chimney seals to 600°C for scheduled and unscheduled outages

Reichel, H. & Brown, T., Vol. 19, No. 2, 2003

QUALITY

Philosophy

What is the Meaning of Quality Assurance and To What End do we Pursue it?

Erdmann, W., Vol. 7, No. 1, 1991

A New Philosophy in Concrete Construction

Neseguer, A.G., Vol. 7, No. 1, 1991

The relationship between Excellence and Quality (letter to editor)

Warren, R.M., Vol. 8, No. 1, 1992

Quality Assurance

Quality Assurance in the Republic of South Africa

Engelbrecht, W., Vol. 7, No. 1, 1991

Quality Assurance of Steel Stacks in the USA
Warren, R.M. & Reid, S.L., Vol. 7, No. 1, 1991
Quality Assurance to BS 5750
Beaumont, M., Vol. 7, No. 1, 1991

RECONDITIONING

Deterioration

Corrosion deterioration in reinforced concrete chimneys
Moncarz, P.D. et al, Vol. 9, No. 1, 1993
The estimation of effects of localised defects on the integrity of concrete chimneys
Levin, V.M., Vol. 9, No. 1, 1993
Some Comments on the Deterioration of Industrial Chimneys, provoked by changes in their duty
Tzincoca, A., Vol. 4, No. 2, 1988
Collapse of a 150m tall Concrete Chimney
Meiche, H., Vol. 7, No. 2, 1991
Damage by Hurricane Andrew to reinforced concrete stacks in Florida
Moncarz, P. & Noakowski, P., Vol. 12, No. 2, 1996
Thermal effects on the Florida Power & Light Co's Turkey Point Unit 2 Chimney
Cook, R.A., Hatfield, J.T., Brannen, W.F. & Joseph, T.D., Vol. 12, No. 2, 1996
Assurance of the availability of two chimneys, 250m and 300m tall, in Secunda, RSA
Noakowski, P. et al, Vol. 14, No. 1, 1998

Inspection

Steel chimney inspection
Beaumont, M., Vol. 13, No. 2, 1997
Assessment of chimney life
Fellows, A., Vol. 13, No. 2, 1997
Introducing a new "hot" camera system for videoing chimneys internally, on-line
Oudin, G., Vol. 14, No. 1, 1998
Investigation of a 30 year old 200m tall power plant chimney
Rosetmic, V., Vol. 14, No. 1, 1998
Monitoring and computer-aided assessment of existing chimneys
Lechman, M., Vol. 15, No. 1, 1999
Natural Draft Cooling Tower - Mantle Inspection & Repair
Kelly, A., Vol. 25, No. 2, 2009

Repairs

A method of refurbishing old brick chimneys to suit modern environmental conditions
Beaumont, M, Vol. 8, No. 2, 1992

Repair & rebuilding of a steel chimney using reinforced concrete
Laegaard, J, Vol. 8, No. 2, 1992
A composite method for crack repair and restoration of the load capacity of a reinforced concrete chimney
Wippel, H, Steidle, P & Wendt, I, Vol. 8, No. 2, 1992
Rehabilitation of two concrete chimneys, diameter 5m and height 100m
Toscano, A., Vol. 8, No. 2, 1992
Unconventional methods for concrete chimney repair
Frumkin, V.H., Vol. 8, No. 2, 1992
Modern principles in concrete repair on chimneys
Holdt, P., Vol. 10, No. 2, 1994
Reconditioning measures on power plant chimneys because of an increase in boiler output or conversion to operation with FGD system
Ertz, B., FGD, Vol. 3, No. 2, 1987
Major Repair Executed on a Small Concrete Chimney
Coradi, A., Vol. 4, No. 1, 1988
Concrete Chimneys Life Extension in Power Stations
Gonzales, C. & Del Solar, J., Vol. 11, No. 2, 1995
Cladding to reinforced concrete chimney windshields
Bierrum, N.R., Vol. 13, No. 2, 1997
Repair of a damaged concrete chimney using a steel sheath
Pinfold, G., Vol. 13, No. 2, 1997
Al Arish chimney linings failure and subsequent repairs
Smith, D.T., Vol. 14, No. 2, 1998
Repair of a ceramic brick liner in wet FGD service using borosilicate glass blocks
de Kreij, A., Vol. 14, No. 2, 1998
Standby chimneys – design, construction and operation problems
Jezek, B. & Sipek, J., Vol. 16, No. 1, March 2000
Interesting retrofits and repairs to steel chimneys
Warren Jr., R., Vol. 17, No. 1, 2001
Long-term behaviour of reinforced concrete industrial chimneys Romania and a retrofit solution for the No 2 chimney of the Isalnita-Craiova power plant
Naum, L. & Furis, D. Vol. 17, No. 2, 2001
Strengthening chimney shafts using CFRP composites
Lechman, M., Vol. 18, No. 1, 2002
Replacement of a brick liner with steel flue. Design and construction considerations
Noakowski, P. & Moncarz, P.D., Vol. 18, No. 2, 2002
Stabilization of a nearly collapsed brick liner in a concrete chimney and subsequent reuse of the liner
Bhowmik, A., Vol. 19, No. 2, 2003
Modern methods of reconstruction of chimneys
Elshin, A., Astashkin, V., Luzhkov, V., Vol 21, No 2, 2005

Conversion of a 180 m high chimney

Kremser, B., Wanzek, U., Lindner, S., Vol. 23, No. 1, 2007

Curing technology for concrete and mineral mortars using protection coatings

Kochan, A., Vol. 23, No. 2, 2007

Florida Chimney Hardening

Goddard, C., Vol. 25, No. 1, 2009

STEEL CHIMNEYS

Case histories

Two steel chimneys having a particular design and deflection requirements with regard to oscillation behaviour

Ferlic, N., Vol. 14, No. 1, 1998

Heightening of a brick-built chimney by a guyed steel top

Prinz, M. and Roels, V.K., Vol. 14, No. 1, 1998

A challenging chimney retrofit project for a steel producing company in Ontario, Canada

Bhowmik, A., Vol. 17, No. 2, 2001

Construction

Sixty years experience of steel chimney erection

Beaumont, Max, Vol. 14, No. 1, 1998

A novel solution to a difficult chimney erection problem

De Jong, J., Vol. 9, No. 2, 1993

The design and construction of a 100m tall double-skin, free-standing chimney

Smith, D.T., Vol. 17, No. 1, 2001

Evaluation of Steel self-supporting Interceptor Smoke Stacks Endurance Life

Syrykh, V. A., Gubaidulin, M. R., Shmatkov A.S., Vol 21, No 2, 2005

Increase in Height of 42 m chimney to 90 m in Waterford, Ireland

Pinfold, G., Madsen, C., Vol. 22, No. 1, 2006

Design and construction of three 75 m high Steel Chimneys placed in a triangle and surrounded by louver rings

Madsen, C., Madsen B., Vol. 23, No. 1, 2007

Flare Tip Replacement, at Tengiz, Kazakhstan

Kelly, A., Vol. 23, No. 2, 2007

COMPARISON of windloads between the current DIN4133-1991 and the new DIN4133-2007

Madsen, B., Vol. 23, No. 2, 2007

Steel stacks placed on steel structures

Jacobosen, B., Vol. 25, No. 1, 2009

Dampers

Mistuned mass dampers

Bierrum, N.R., Vol. 10, No. 2, 1994

Tuned mass dampers (Letter to editor)

Bierrum, N.R., Vol. 11, No. 1, 1995

Shell to flue impact damping for dual wall and multiflue chimneys

Warren, R.M. & Reid, S.L., Vol. 10, No. 1, 1994

Optimum control of chimney vibration

Hirsch, G.H. & Jozsa, M., Vol. 10, No. 1, 1994

Vibration control of stacks by passive dampers - a numerical experimental study of the damping effect of inner tubes inside a stack and a new dynamic vibration absorber

Ruscheweyh, H., Kammel, C., Verwiebe, C., Vol.12, No.2, 1996

Vibration-dampers for steel chimneys

van Koten, H., Vol. 19, No. 1, 2003

New Application of Vibration Dampers to reduce along wind loads

Oudin, G., Vol. 21, No 2, 2005

Why and how to increase the Structural Damping of Structures

Oudin, G., Vol. 22., No. 2, 2006

Design of Extrem Slender Guyed Structures

Oudin, G., Vol. .23., No. 2, 2007

Research Evaluation of Steel and Concrete Damping

Oudin, G., Vol. .25., No. 1, 2009

Design

The latest technology and quality control of steel stacks in Japan

Hirao, K, Vol. 7, No. 1, 1991

The stress distribution in chimneys due to wind pressure

Van Koten, H., Vol. 11, No. 1, 1995

Effect of flange geometry on the strength of bolted joints

Pinfold, G., Vol. 11, No. 1, 1995

Safety in CICIND model code for steel chimneys (letter to editor)

Pritchard, B.N., Vol. 8, No. 2, 1992

CICIND Model code compared with the Finnish Code SFS 4395 - Steel Chimneys (letter to editor)

Siirilla, R., Vol. 5, No. 1, 1989

Profile of the Mitsubishi Advanced Steel Stack ("MASS") System

Omura, H., Vol. 11, No. 2, 1995

Report on revisions to ASME/ANSI STS-1 - Steel Stack Standard

R.M. Warren, Vol. 12 No. 2, 1996

Wind load stresses in steel chimneys

J.G. Turner, Vol. 12, No. 2, 1996

A calculation method for fatigue life of steel chimneys subject to cross-wind oscillations

Van Koten, H., Vol. 14, No. 1, 1998

Measured damping decrements of steel chimneys and their estimation

Berger, G. and Verwiebe, C., Vol. 15, No. 1, 1999

Fatigue and damping of chimneys

Van Koten, H., Vol. 15, No. 1, 1999

The new CICIND Model Code for Steel Chimneys

Pritchard, B.N., Vol. 15, No. 2, 1999

Steel stacks for gas turbines
 Ferlic, N., Vol. 17, No. 2, 2001

Combined cycle gas turbine stacks
 Warren, R.M., Vol. 18, No. 2, 2002

The accuracy of Stresses in Steel Chimneys caused by Wind
 Van Koten, H., Vol. 20, No.1, 2004

Design and Construction of 67 m Steel Chimney
 Pinfold, G., Vol. 20, No. 1, 2004

Fatigue Problems of Steel Chimneys due to Vortex Excited Vibrations in the Second Mode
 Verwiebe, C., Vol 20, No. 2, 2004

Reinforcement around the openings of Steel Chimneys
 Van Koten, H., Vol. 21, No 1, 2005

Antenna Carriers of Steel Tubes - Fatigue failure behaviour due to Vortex shedding
 Rost, M., Harling, A., Breddermann, M., Noakowski, P., Vol. 21, No 1, 2005

Design of a 61m Steel Chimney under Combined Earthquake and Wind Loading
 Angelides, M., Zannaki, L., Vol. 21, No. 2, 2005

Corrosion allowance in View of the European Standards
 Berger, G., Vol. 22, No, 1, 2006

Study of Interference effect of Multiple Heater Mounted stacks Placed in on line
 Oke, A., Vol. 22, No, 1, 2006

Ring stiffeners for steel chimneys
 Van Koten, H., Vol. 22, No, 1, 2006

Chimney Design with CICIND, DIN 4133 and EURO; A Critical Review
 Verboom, G., Vol. 23, No. 1, 2006

Vortex Excitation: three Design Rules tested on 13 Industrial Chimneys
 Verboom, G. Verboom, van Koten, H., Vol. 23, No. 2, 2007

Design Aspects of a 120 m Steel Chimney
 Verwiebe, C., Vol. 24, No. 2, 2008

The influence of the Terrain roughness on the design of Steel Chimneys
 Van Koten, H., Vol. 24, No, 2, 2008

Probabilistic model to analyze the structural safety of steel chimneys including corrosion behavior
 Oke, A., Odenbreit, C., Vol. 24, No, 2, 2008

Steel Stacks for Gas Combustion Units
 Turner, J., Vol. 25, No, 1, 2009

WIND

Code Provisions

Wind load provisions of ASCE 7-95 for flexible structures
 A. Kareem, Vol. 12, No. 2, 1996

Blowing in the wind: A critique of the EC1 wind speed proposals
 Allsop, A., Vol. 16, No. 2, 2000

Comparison of Eurocode EC1: Part 4 wind loads with those calculated by the CICIND Steel and Concrete Codes
 Freathy, P., Vol. 18, No. 2, 2002

Cross-Wind Response

Cross wind oscillations of cylindrical chimneys at low Reynolds Numbers
 Van Koten, H., Vol. 1, No. 1, 1985

Evaluation of Methods of Predicting the Across-Wind Response of Chimneys
 Daly, A.F., Vol. 2, No. 1, 1986

A design approach to evaluating across-wind response of chimneys
 Vickery, B.J., Vol. 2, No. 1, 1986

Vortex Induced Vibrations of a Steel Chimney
 Karna, T, Vol. 4, No. 2, 1988

Cross-wind vibrations of cylinders at small Scruton Numbers
 Van Koten, H., Vol. 10, No. 2, 1994

Mathematical modelling of turbulent wind flow around chimneys
 Younis, B., Vol. 11, No. 1, 1995

Experiences with Vortex Excited Oscillations of Steel Chimneys
 Ruscheweyh, H. & Verwiebe, C., Vol. 11, No. 2, 1995

Shell/Liner Interaction on a Flexible Foundation
 Vickery B.J., Vol. 11, No. 2, 1995

Vortex induced vibrations of line-like structures
 Ole Hansen, S., Vol. 15, No. 1, 1999

Measurements of the test chimney at Aachen University
 van Koten, H., Vol. 14, No. 2, 1998

Modifications of aerodynamic forces due to deviation from circular cross section
 Galsworthy, J.K., Vickery, B.J., Vol. 15, No. 2, 1999

Reduction of cross-wind vibration by turbulence and damping
 Hansen, S.O. & van Koten, H., Vol.16, No. 1, 2000

Interference effects to vortex induced vibrations between large chimneys of different diameters and lengths
 Ruscheweyh, H., Trätner, A., Vol. 16, No. 2, 2000

Dynamic Fatigue along wind for tall, slender structures
 Oke, A. Vol. 23, No. 1, 2007

Vortex-excited Vibration of Steel Stacks in Group Arrangement
 Ruscheweyh, H., Vol. 23, No. 2, 2007

A Refined Approach to Wind Loading for the Design of the Solar Tower
 Niemann, H.-J., Vol. 25, No. 2, 2009

Downwash

Optimisation of the Top Part of Chimneys, with Regard to the Downwash Effect
 Ruscheweyh, H. & Ertz, B., Vol. 7, No. 2, 1991

Prevailing conditions at the top of chimneys
 Henseler, F., Vol. 9, No. 1, 1993

GENERAL

Flare Tip Replacement in Norway - Concept, Design & Execution

Kelly, A., Smith, D., Vol. 25, No. 1, 2009

The complete History of CICIND from 1973 to 2008 on 258 pages

Kaemmer, K., Vol. 25, No. 1, 2009